


# CONTINUOUS LINEAR LIGHT

## X-LINE™



Samsung  
LED

100+  
lm/w


DALI  
ON/OFF

Visual  
comfort

Compact

Continuous

**K&L**®  
KINGLUMI CO., LTD.



Type	Xline™ Continuous Linear Light
Light source	Non replaceable Samsung LEDs
Power	45W
Beam angle	Batwing: 85x85(50% upwards/50 downwards) Batwing: 85x85(100% downwards)
Lumen	5000lm
Color temperature	2700K,3000k,4000k,5000k
Color rendering index	82
Dimmable	ON/OFF,DALI
Length	1000mm
Finished color	White,Black



668mm, 1332mm and 1996mm to be ready soon!  
They are provides with single/double wallwash  
except the above light distributions.

# Xline™ Continuous Linear Light

## Benefits


- Breakthrough optical system for precise light distribution
- Extremely fast payback
- Pendant and surface mounted for concrete, wood and drop ceiling
- Visual comfort

## Features

- Low energy consumption
- Excellent beam shaping for less spill light and exact light distribution
- Sleek and compact
- Macadam 3 SDCM
- Easy continuous design, can meet different length requirement
- 50% up and 50% down light distribution, provides comfort light for both ambient and task lighting
- Innovative optic system, lens + reflector design, 110lm/W with low glare


## Application

- Supermarkets, Retail shops
- Warehouses, Production facilities
- Halls, Offices, Conference rooms
- Automotive and Parking
- Education, Library, Bookstores, Government, Hospitality
- Museum, Art-gallery




# Xline™ Continuous Linear Light

## Light distribution




100% DOWN



50% UP / 50% DOWN


## Different ceiling installation



Dropped ceiling




Concrete ceiling



Twist and fixed

## Continuous connection





Kinglumi has set its social networks on Facebook, LinkedIn, Youtube and Twitter, new products and company news will be posted on all these platform. It would be a pleasure to meet you there, and you can "share" and "like" what you are interested in.



[www.facebook.com](http://www.facebook.com)



[www.linkedin.com](http://www.linkedin.com)



[www.youtube.com](http://www.youtube.com)



[www.twitter.com](http://www.twitter.com)

Add: Bldg 3,Nangang Third Industrial Zone,Tangtou,Shiyan Town,Bao'an District,Shenzhen  
City,China 518108  
Tel: 0086-755-29516789 33985808  
E-mail: [sales@kinglumi.com](mailto:sales@kinglumi.com)  
Fax: 0086-755-29516759  
Http: [//www.kinglumi.com](http://www.kinglumi.com)

Working hours: From Monday to Friday 8:30 to18:00